# **SAFETY DATA SHEET**

Date of issue : 20 April 2022

Version : 2

# Section 1. Identification

Product code	: 0500A-12030/4L
Product name	: AMERTHANE WB CLEAR G30
Product type	: Liquid.
Recommended use and res	trictions
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG INDUSTRIES NEW ZEALAND LTD 5 MONAHAN ROAD, MT WELLINGTON, AUCKLAND www.ppgnz.co.nz Telephone Numbers: 09 573 1620, 0800 659378
	021 940 920 (24 Hours)
Emergency telephone number (with hours of operation)	: New Zealand 0800 000 096 (24 hours) / Australia 1800 883 254 (24 hours) For international shipping emergencies: 1-412-391-1618
e-mail address of person responsible for this SDS	: ehsnz@ppg.com

# Section 2. Hazards identification

HSNO Classification	: SKIN SENSITISATION - Category 1
Symbol	
GHS label elements	•
Signal word	: 🕅 arning
Hazard statements	: May cause an allergic skin reaction.
Precautionary statements	
Prevention	: 🕅ear protective gloves. Avoid breathing vapour.
Response	: Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Other hazards which do not result in classification	: Contains isothiazolinones. May cause allergic reaction.



New Zealand Page: 1/10

Product code 0500A-12030/4L

### Product name AMERTHANE WB CLEAR G30

### Section 2. Hazards identification

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and has been classified according to the Hazardous Substances (Classifications) Notice 2017.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Land Transport Rule: Dangerous Goods 2005.

# Section 3. Composition/information on ingredients

Substance/mixture	1	Mixture
<b>CAS number/other identifiers</b>		
Product code	:	0500A-12030/4L
1		

Hazardous ingredients	%	CAS number
Sobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol ammonia 3(2H)-Isothiazolone, 2-methyl- reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	1 - <10 <1 <1 <1	25265-77-4 1336-21-6 2682-20-4 55965-84-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

	New Zealand Page: 2/1
Specific treatments	: Not available.
Indication of immediate n	nedical attention and special treatment needed, if necessary
Ingestion	: No specific data.
Skin	: Adverse symptoms may include the following: irritation redness
Inhalation	: No specific data.
Eyes	: No specific data.
<u>Over-exposure signs/sy</u>	<u>mptoms</u>
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Inhalation	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Potential acute health ef	ffects
Most important symptom	s/effects, acute and delayed
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show the container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>

# Section 4. First aid measures

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
See toxicological information (Section 11)	

# Section 5. Firefighting measures

	•
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides
Special precautions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for con	Itai	inment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

Precautions for safe handling	: Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	: Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

Ingredient name			Exposure limits
ammonia			NZ HSWA 2015 (New Zealand, 11/2020). WES-TWA: 25 ppm 8 hours. WES-TWA: 17 mg/m <sup>3</sup> 8 hours. WES-STEL: 24 mg/m <sup>3</sup> 15 minutes. WES-STEL: 35 ppm 15 minutes.
Recommended monitoring procedures	:	of the ventilation or other control measured	hay be required to determine the effectiveness sures and/or the necessity to use respiratory uld be made to appropriate monitoring lance documents for methods for the
Appropriate engineering controls	1	Good general ventilation should be su contaminants.	fficient to control worker exposure to airborne
Environmental exposure controls	:		
Individual protection measured	res		
Hygiene measures	:	eating, smoking and using the lavator Appropriate techniques should be use Contaminated work clothing should no	bughly after handling chemical products, before y and at the end of the working period. In the end of the working period. It is allowed out of the workplace. Wash Ensure that eyewash stations and safety ocation.
Respiratory protection	:	hazards of the product and the safe w workers are exposed to concentration appropriate, certified respirators. Use	n known or anticipated exposure levels, the orking limits of the selected respirator. If s above the exposure limit, they must use a properly fitted, air-purifying or air-fed d standard if a risk assessment indicates this is
			New Zealand Page: 4/10

### Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Gloves	: <mark>ø</mark> utyl rubber
Eye protection	: Safety glasses with side shields.
Skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>

### Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Clear.
Odour	: Not available.
Odour threshold	: Not available.
рН	: 8
Melting point	: Not available.
Boiling point	: 100°C (212°F)
Flash point	: Closed cup: 95°C (203°F) [Product does not sustain combustion.]
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapour pressure	: Not available.
Relative density	: 1.06
Bulk Density (g/cm³)	: 1.054
Solubility	: Soluble in the following materials: cold water.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): >21 mm²/s (>21 cSt)

# Section 10. Stability and reactivity

Stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials strong acids strong alkalis

**New Zealand** 

Page: 5/10

## Section 10. Stability and reactivity

Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.

# Section 11. Toxicological information

Information on likely routes of	exposure
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Eye contact	: No known significant effects or critical hazards.
Symptoms related to the phys	ical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Eye contact	: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sobutyric acid, monoester with 2,2,4-trimethylpentane- 1,3-diol	LD50 Dermal	Rabbit	>15.2 g/kg	-
.,	LD50 Oral	Rat	6.5 g/kg	-
ammonia	LD50 Oral	Rat	350 mg/kg	-
3(2H)-Isothiazolone, 2-methyl-	LC50 Inhalation Dusts and mists	Rat	0.19 mg/l	4 hours
-	LD50 Dermal	Rat	242 mg/kg	-
	LD50 Oral	Rat - Male	235 mg/kg	-
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	LD50 Oral	Rat	53 mg/kg	-
Conclusion/Summary	: There are no data available on	the mixture its	self.	
rritation/Corrosion				
Conclusion/Summary				

<u>Conclusion/Summary</u>	
Skin	: There are no data available on the mixture itself.
Eyes	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
Sensitisation	
Conclusion/Summary	
Skin	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
Between the Landau stands and the second	

Potential chronic health effects

# Section 11. Toxicological information

General	<ul> <li>Ønce sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.</li> </ul>
Skin contact	<ul> <li>Ønce sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.</li> </ul>
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Chronic toxicity	
Not available.	
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
<u>Mutagenicity</u>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
<b>Teratogenicity</b>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Not available.	
Aspiration hazard	
Not available.	

### Numerical measures of toxicity

### Acute toxicity estimates

Not available.

#### **Other information**

Contains isothiazolinones. May cause allergic reaction.

### Section 12. Ecological information

2

#### Ecotoxicity

: No known significant effects or critical hazards.

#### Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
isobutyric acid, monoester with 2,2,4-trimethylpentane- 1,3-diol	Acute LC50 33 mg/l	Fish	96 hours

#### Persistence/degradability

Product/ingredient name	Test	Result	Dose	Inoculum
isobutyric acid, monoester with 2,2,4-trimethylpentane- 1,3-diol	OECD 301B	>76 % - Readily - 28 days	-	-

	New Zealand	Page: 7/10
--	-------------	------------

Product code 0500A-12030/4L

Product name AMERTHANE WB CLEAR G30

### Section 12. Ecological information

Product/ingredient name	Aquatic half-life		Photolysis		Biodegradability
isobutyric acid, monoester with 2,2,4-trimethylpentane- 1,3-diol	-		-		Readily
Bioaccumulative potential					
Product/ingredient name	LogPow	BCF		Poten	tial
isobutyric acid, monoester	3.2	-		low	

#### Mobility in soil

1,3-diol

with 2,2,4-trimethylpentane-

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Do not allow to enter drains or watercourses.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Mat autholds.	De met elleviste enten duelle en vietene en elle

#### Not suitable:

: Do not allow to enter drains or watercourses.

The classification of the product may meet the criteria for a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### 14. Transport information

	NZ	IMDG	IAT	Α
UN number	Not regulated.	Not regulated.	Not regulated.	
UN proper shipping name	-	-	-	
Transport hazard class(es)	-	-	-	
Packing group	-	-	-	
			New Zealand	Page: 8/1

Product code 0500A-12030/4L		•	Date of issue 20 April 2022 Version 2	
Product name AME	RTHANE WB CLEAR G	30		
14. Transport information				
Environmental hazards	No.	No.	No.	
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	
Additional information	on			
	None identified.			
Hazchem code :	Not applicable.			
	None identified.			
IATA :	None identified			
		i <b>n user's premises:</b> always transport are. Ensure that persons transporting		
Special precautions Transport in bulk ac	for user : Transport within upright and secu the event of an a			
Special precautions Transport in bulk ac to IMO instruments	for user : Transport within upright and secu the event of an a	accident or spillage.		
Special precautions Transport in bulk ac to IMO instruments Section 15. R New Zealand Invento	for user : Transport within upright and secu the event of an a cording : Not applicable. Regulatory informa	accident or spillage.		
Special precautions Transport in bulk ac to IMO instruments Section 15. R New Zealand Invento Chemicals (NZIoC)	for user : Transport within upright and secu the event of an a cording : Not applicable. Regulatory informatory of : All components a	accident or spillage.		
Special precautions Transport in bulk ac to IMO instruments <b>Section 15. R</b> New Zealand Invento Chemicals (NZIOC) HSNO Approval Num Emergency Managen	for user : Transport within upright and secu the event of an a coording : Not applicable. Regulatory informatory of : All components a nber : FSR002670 Sub	accident or spillage. ation are listed or exempted. psidiary Hazard		
Special precautions Transport in bulk ac to IMO instruments <b>Section 15. R</b> New Zealand Invento Chemicals (NZIOC) HSNO Approval Num Emergency Managen	for user : Transport within upright and secu the event of an a cording : Not applicable. Regulatory informatory ory of : All components a nber : MSR002670 Sub ment : Level 1: Not appl	accident or spillage. ation are listed or exempted. psidiary Hazard	the product know what to do	
Special precautions Transport in bulk ac to IMO instruments	for user : Transport within upright and secu the event of an a coording : Not applicable. Regulatory informatory ory of : All components a nber : FSR002670 Sub ment : Level 1: Not applicable	accident or spillage. ation are listed or exempted. bidiary Hazard licable.	in a workplace.	

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed. Product code 0500A-12030/4L

Date of issue 20 April 2022

Version 2

### Product name AMERTHANE WB CLEAR G30

### Section 16. Other information

Date of issue	: 20 April 2022				
Indicates information that has changed from previously issued version.					
Key to abbreviations	: STEL = Short Term Exposure Limit TWA = Time-Weighted Average WES = Work Exposure Standard				
References	: Not available.				
Organisation that prepared the SDS <u>Disclaimer</u>	: EHS				

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.