Date of issue: 4 August 2020 NZ Safety Data Sheet

1. Identification of the Substance/Mixture and Supplier.

Product Name: Procoat Universal MCR (425-121-black, 425-153-barn red)

Uses:

Supplier: DECORA GROUP LTD

7 Akatea Road, Glendene, Auckland, New Zealand.

 Telephone:
 09 818 9215

 Fax:
 09 818 7862

 Emergency Telephone:
 0800 761 333

National Poisons Centre Tel: 0800 764766 (0800 POISON)

## 2. Hazards Identification.

**Hazardous Status:** Classified as hazardous according to the criteria of HSNO. HSNO approval number HSR002670

DG Status: Classified as Dangerous Goods according to NZS5433

Signal Word: WARNING

HAZARD CLASSIFICATIONS HSNO	HAZARD STATEMENTS	GHS Pictogram
6.3B	H316 Causes mild skin irritation.	
6.5B	H317 May cause an allergic skin reaction.	<b>(</b>

## PREVENTION STATEMENTS

P103 Read label before use.

P104 Read Safety Data Sheet before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing *should* not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE STATEMENTS

P302+P352 **IF ON SKIN:** Wash with plenty of soap and water.

P333+P313 IF skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

STORAGE STATEMENTS

## **DISPOSAL STATEMENTS**

P501 Refer to section 13.

## 3. Composition/Information on Ingredients.

Chemical Entity	CAS Number	Proportion %w/w
Acticide MBS/Nipicide/Mergal 758		<0.20
Ammonia 910 25%	1336-21-6	<0.20

Balance of ingredients: Non-hazardous, or below the hazardous threshold.


### 4. First Aid Measures.

Date of issue: 4 Augus	t 2020 112 Safety Data Sheet
Swallowed	If swallowed do NOT induce vomiting. Give water to drink. Get medical attention if
	symptoms occur.
Inhaled	If inhaled, move the victim to fresh air immediately. Begin artificial respiration if
	breathing has stopped. Obtain medical attention if symptoms occur.
Eye Contact	If splashed in the eyes, wash out immediately with water. Obtain medical attention
-	if irritation occurs.
Skin Contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and
	hair with running water. Get medical attention if symptoms occur.
Further Information	For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) –
	or a doctor, immediately.
	or a decisi, immediately.
5. Fire-Fighting Me	easures.
0 0	
Suitable extinguishing	In case of fire, use water spray (fog), foam, dry chemical or CO2.
media	
Unsuitable	High volume water jet.
extinguishing media	
Hazards from the	In a fire or if heated, a pressure increase will occur and the container may burst.
substance	in a me of it floated, a procedure increase will cook and the container may baret.
Hazardous	Decomposition products may include:
combustion products	Carbon oxides, Nitrogen oxides, Metal oxides.
Special precautions	Promptly isolate the scene by removing all persons from the vicinity of the incident
for fire-fighters	if there is a fire. No action shall be taken involving any personal risk or without
ior me-ngmers	suitable training.
Special protective	
Special protective	Fire-fighters should wear appropriate protective equipment and self-contained
equipment for fire fighters	breathing apparatus (SCBA) with a full face-piece operated in positive pressure
Homers	l mode.
ngntore	
_	
6. Accidental Rele	
6. Accidental Rele	ase Measures.
_	ase Measures.  Wear appropriate Personal Protective Equipment (see section 8). Provide
6. Accidental Rele	wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.
6. Accidental Rele Personal precautions Environmental	ase Measures.  Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains
6. Accidental Rele	ase Measures.  Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused
6. Accidental Rele Personal precautions Environmental precautions	wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6. Accidental Rele Personal precautions Environmental	wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and
6. Accidental Rele Personal precautions Environmental precautions	wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an
6. Accidental Rele Personal precautions Environmental precautions	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
6. Accidental Rele Personal precautions Environmental precautions	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor.
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill 7. Handling and St	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill 7. Handling and St	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill 7. Handling and St	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill 7. Handling and Standling	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill 7. Handling and Standling	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.  **Corage.**  Wear appropriate PPE, and ensure there is adequate ventilation and extraction in the work area. Avoid skin or eye contact, or breathing in the product.  Keep container dry and tightly closed, in a cool, well-ventilated area, away from
6. Accidental Rele Personal precautions Environmental precautions Small spill Large spill 7. Handling and Standling Storage	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).  Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.  **Corage.**  Wear appropriate PPE, and ensure there is adequate ventilation and extraction in the work area. Avoid skin or eye contact, or breathing in the product.  Keep container dry and tightly closed, in a cool, well-ventilated area, away from

Date of issue: 4 August 2020 NZ Safety Data Sheet

Wear overalls or dust coat.

Exposure Standards				
No exposure limits set for the finished product, listed components below.				
Product/Ingredient	WES/TWA	WES/STEL	Reference	
Limestone (Calcium	-/10mg/m <sup>3</sup>		NZ-WES	
Carbonate)				
Titanium Dioxide	-/10mg/m <sup>3</sup>		NZ-WES	
Engineering Controls	Use only in well ventilated areas. Keep containers closed when not in use.			
Personal Protection				
Respiratory	Wear a vapour respirator if risk of inhalation exists.			
Eyes	Wear safety glasses.			
Hands	Wear Nitrile gloves – or other suitable chemical gloves.			



Other

# 9. Physical and Chemical Properties

PROPERTY	SPECIFICATION
Appearance (physical state, colour, etc.)	Liquid, MCR
Odour	Not available
Odour threshold	Not available
pН	Not available
Melting point/freezing point	Not available
Initial boiling point and boiling range	Not available
Flash point	Not available
Flammability (solid, gas)	Not available
Upper/lower flammability or explosive	Not available
limits	
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility (ies)	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Kinematic viscosity	Not available

# 10. Stability and Reactivity

The product is stable
Under normal conditions of storage and use, hazardous reactions will not occur.
None known.
None known.
Under normal conditions of storage and use, hazardous decomposition products
should not be produced.

Date of issue: 4 August 2020 NZ Safety Data Sheet 11. Toxicological Information DATA - CCID Classification: Skin Irritant - 6.3B Cause mild skin irritation. Health Effects: Determined by applying mixture rules to ingredients. Data: Classification: Skin Sensitiser - 6.5B Health Effects: May cause an allergic skin reaction Determined by applying mixture rules to ingredients. Data: Swallowed: Not available Inhaled: Not available Skin: Not available Eyes: Not available Chronic Effects: Not available **Toxicity Data Product Calculated Acute Toxicity** ORAL LD50 >5000 mg/kg DERMAL LD50 >5000 mg/kg INHALATION LC50 (vapours) >20.0 mg/L/4H

INHALATION LC50 (dust/mist) >5.0 mg/L/4H			
Product/Ingredient	LD50 Oral mg/kg	LD50 Dermal – mg/kg	LC50 Inhalation – mg/L/4H
Softanol 90	502.51	4400	3
NX795/Texanol/IBT	3200		
Filmer/DN-12 Solvent			
12. Ecological Information		oxic according to the criteria	of HCNO
This product is not class	silied as Ecoto	according to the criteria	DI HONO.
Ecotoxicity Data – CCID - Not available			
Persistence & Degradabil	ity - Not availab	le	
Mobility - Not available			
Bioaccumulation Potential - Not available			
Other - Not available			
Page <b>4</b> of <b>5</b>			

Date of issue: 4 August 2020 NZ Safety Data Sheet

## 13. Disposal Considerations.

Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.

### 14. Transportation Information.

Not regulated for transport.

Keep separated from foodstuffs.

## 15. Regulatory Information.

Group Standard: Surface Coatings and Colourants (Subsidiary Hazard) Group

Standard 2017 HSR002670

HSNO Approval Number:

**HSNO CONTROLS** 

SDS required when any quantity is present in a workplace.

Emergency Response Plan and Secondary Containment required when >10,000L is present in a workplace

Toxic signage required when >10,000L is stored.

Corrosive Signage required when >10,000L is stored.

Certified HandlerNot RequiredTrackingNot Required

All ingredients are on the New Zealand Inventory of Chemicals (NZIoC), or exempt.

Any existing national regulations on the handling of dangerous substances should be observed. Controls for hazardous substances are based upon current knowledge. Where multiple chemicals are stored, controls will need to take into account aggregate quantities. Contact a WorkSafe approved Compliance

Certifier for further information and guidance.

This material is not subject to the following agreements:

- Montreal Protocol (Ozone Depleting Substances)
- The Stockholm Convention (Persistent Organic Pollutants)
- The Rotterdam Convention (Prior Informed Consent)

#### 16. Other Information.

HSNO = Hazardous Substances and New Organisms Act 1996.

EPA = Environmental Protection Authority

CCID = Chemical Classification and Information Database (EPA)

NZ WES = New Zealand Work Exposure Standard

TWA = Time Weighted Average

STEL = Short Term Exposure Limit

Date of SDS Preparation: 4 August 2020

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.