





Version 2.0 14.04.2025

Revision Date:

SDS Number: 000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Section 1: Identification	
Product name	: TERGOSTRIP B/O (6 X 1 L)

Product code

: 00000000050629328

Manufacturer or supplier's details

BASF Coatings and Chemetall New Zealand Limited Level 1, 527A Rosebank Road, Avondale Auckland 1026 New Zealand Telephone: 008 837 464, +64 9 820 3888 Telefax number: +64 9 820 3979 E-mail address: nzadmin@basf.com

Emergency contact

Telephone: +64 9 255-4300 E-mail address: ProductSafety_EC_APAC@basf.com, nzadmin@basf.com

National Poisons Centre: 0800 764 766 Emergency telephone : BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only) BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)







Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Recommended use of the chemical and restrictions on use				
Recommended use	:	Paint stripper		
Restrictions on use	:	Uses other than recommended		

Section 2: Hazard identification	
GHS Classification	
Acute toxicity (Oral)	: Category 4
Skin corrosion/irritation	: Category 1
Serious eye damage/eye irritation	: Category 1
Germ cell mutagenicity	: Category 2
Carcinogenicity	: Category 2
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system, Central nervous system)







		SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Specific target organ toxicity - repeated exposure	: Category 2	
Specific target organ toxicity - repeated exposure (Inhalation)	: Category 2 (Kidney, Liver, Blood, Central nervous system lung)	m,
Hazardous to the aquatic environment - chronic hazard	: Category 3	
GHS label elements		
Hazard pictograms		
Signal Word	: Danger	
Hazard Statements	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. 	





TERGOSTRIP B/O (6 X 1 L)

Version Revi 2.0 14.0

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

	H336 May cause drowsiness or dizziness.
	H341 Suspected of causing genetic defects.
	H351 Suspected of causing cancer.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H373 May cause damage to organs (Kidney, Liver, Blood, Central nervous system, lung) through prolonged or repeated exposure if inhaled.
	H412 Harmful to aquatic life with long lasting effects.
Precautionary Statements :	Prevention: P201 Obtain special instructions before use.
Precautionary Statements :	
Precautionary Statements :	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been
Precautionary Statements :	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.
Precautionary Statements :	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapors.
Precautionary Statements :	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.
Precautionary Statements :	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.





Chemetall

TERGOSTRIP B/O (6 X 1 L)

Version Re 2.0 14

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

protection/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.







Version Revision Date: 2.0 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Section 3: Composition/information on ingredients			
Substance / Mixture	:	Mixture	
Chemical nature	:	organic solvent	
		organic compounds	

Components

Chemical name	Common Name/Synonyms	CAS-No.	Concentration (% w/w)
dichloromethane	dichloromethane	75-09-2	>= 70 -< 90
formic acid	formic acid	64-18-6	>= 5 -< 10
phenol	phenol	108-95-2	>= 3 -< 5
Benzenesulfonic acid, C10-16-alkyl derivs.	Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	>= 0.25 -< 1
Benzene, C10-16-alkyl derivs.	Benzene, C10-16- alkyl derivs.	68648-87-3	>= 0.0025 -< 0.025





TERGOSTRIP B/O (6 X 1 L)

Version F 2.0 1

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Section 4: First-aid measures General advice		First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Symptoms of poisoning may occur even after several hours, continue medical observation for at
		least 48 hours after the accident. Never give anything by mouth to an unconscious person. Keep patient warm and at rest.
If inhaled	:	If breathed in, move person into fresh air.
		Call a physician or poison control center immediately.
		If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Call a physician immediately.
		Polyethylene glycol 400.
		If skin irritation persists, call a physician.
		In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.





TERGOSTRIP B/O (6 X 1 L)

In case of eye contact	:	Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
		Call a physician immediately.
		If easy to do, remove contact lens, if worn.
If swallowed	:	Do not induce vomiting due to aspiration hazard.
		Keep at rest.
		If symptoms persist, call a physician or Poison Control Center immediately.
		Rinse mouth with water.
Most important	:	Harmful if swallowed.
symptoms and effects, both acute and delayed	Causes serious eye damage.	
		May cause respiratory irritation.
		May cause drowsiness or dizziness.
		Suspected of causing genetic defects.
		Suspected of causing cancer.
		May cause damage to organs through prolonged or repeated exposure.
		Causes severe burns.
		Information, i.e. additional information on symptoms and effects may be included in the GHS labeling





TERGOSTRIP B/O (6 X 1 L)

Version		SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

	phrases available in Section 2 and in the Toxicological assessments available in Section 11.
	May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.
Notes to physician	: No known specific antidote. Treat symptomatically.

Section 5: Fire-fighting measures

000	Suitable extinguishing :	Water spray jet
	media	Dry powder
		Alcohol-resistant foam
		Carbon dioxide (CO2)
	Unsuitable extinguishing : media	High volume water jet
	Specific hazards during : fire fighting	Fire will produce dense black smoke containing hazardous combustion products (see section 10).
	Hazardous combustion : products	Carbon oxides





TERGOSTRIP B/O (6 X 1 L)

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Chlorine compounds

Advice for firefighters Specific extinguishing methods	:	In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for fire- fighters	:	Appropriate breathing apparatus may be required.
Hazchem Code	:	2X

Section 6: Accidental release measures						
Personal precautions,	:	Avoid breathing vapours.				
protective equipment and emergency procedures		Keep away from sources of ignition.				
		Advice on product handling can be found in sections 7				





TERGOSTRIP B/O (6 X 1 L)

Version Revis 2.0 14.04

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

and 8 of this safety data sheet. For non-emergency personnel: For emergency responders: Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Environmental precautions : Do not allow uncontrolled discharge of product into the environment. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities. Methods and materials for : Ensure adequate ventilation. containment and cleaning Contain spillage, soak up with non-combustible up absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).





TERGOSTRIP B/O (6 X 1 L)

Version 2.0

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Section 7: Handling and storage Advice on protection :	Avoid all sources of ignition: heat, sparks, open flame.					
against fire and explosion	Product may charge electrostatically: always use					
	earthing leads when transferring from one container to another and earth containers. It is recommended that operators should wear antistatic clothing and footwear.					
	The relevant fire protection measures should be noted.					
	Use explosion-proof equipment.					
	Vapors are heavier than air and may spread along floors.					
	Vapors may form explosive mixtures with air.					
Advice on safe handling :	Provide good ventilation of working area (local exhaust ventilation if necessary).					
	Do not return residues to the storage containers.					
	Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.					
	The workplace should be equipped with an emergency shower and eye-rinsing facility.					
	Avoid contact with the skin, eyes and clothing.					





TERGOSTRIP B/O (6 X 1 L)

VersionRevision Date:
14.04.2025SDS Number:
0000000000506
29328Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

		Handle in accordance with good industrial hygiene and safety practice.
		Do not breathe vapors or spray mist.
Hygiene measures	:	Remove contaminated clothing immediately and dispose of safely.
		Wash hands before breaks and at the end of workday.
		Keep away from food, drink and animal feedingstuffs.
Further information on	:	Keep away from heat.
storage conditions		Avoid direct sunlight.
		Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.
		Always keep in containers of same material as the original one.
		Observe label precautions.
		Store protected against freezing.
		Keep in a dry, cool and well-ventilated place.
Materials to avoid	:	Segregate from alkalies and alkalizing substances.
		Bases







Version Revision Date: SDS Number: Date of last issue: 07.03.2025 2.0 14.04.2025 000000000506 29328 Date of first issue: 07.03.2025

Recommended storage temperature	:	0 - 40 °C
Packaging material	:	Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene, Carbon steel (Iron), tinned carbon steel (Tinplate)

Section 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Components	CAS-No. Value type Control Basis				
		(Form of parameters /			
		exposure)	Permissible		
			concentration		
dichloromethane	75-09-2	WES-TWA	50 ppm	NZ OEL	
			174 mg/m3		
	Further information: Suspected human carcinogen				
		TWA 50 ppm ACGIH			
formic acid	64-18-6	WES-STEL	10 ppm	NZ OEL	
		19 mg/m3			
		WES-TWA	5 ppm	NZ OEL	





TERGOSTRIP B/O (6 X 1 L)

Version Re 2.0 14

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

			9.4 mg/m3			
		TWA	5 ppm	ACGIH		
		STEL	10 ppm	ACGIH		
phenol	108-95-2	WES-TWA	1 ppm	NZ OEL		
			3.8 mg/m3			
	Further information: Skin absorption					
		WES-STEL	2 ppm	NZ OEL		
			7.7 mg/m3			
	Further information: Skin absorption					
		TWA	5 ppm	ACGIH		

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Samplin	Permissibl	Basis
		parameter	specimen	g time	е	
		s			concentrat	
					ion	
dichloromethane	75-09-2	Dichlorom	Urine	End of	0.3 mg/l	ACGIH
		ethane		shift (As		BEI
				soon as		
				possible		
				after		
				exposur		







Version Re 2.0 14

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

				e ceases)		
phenol	108-95-2	Total phenol	Urine	End of shift	100 mg/l	NZ BEI
		Phenol	Urine	End of shift (As soon as possible after exposur e ceases)	250 mg/g creatinine	ACGIH BEI

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection: Use respiratory protection unless adequate local
exhaust ventilation is provided or exposure assessment
demonstrates that exposures are within recommended
exposure guidelines.Filter type: Organic vapor Type

. Organic

Hand protection

Remarks	:	The selected protective gloves have to satisfy the
		specifications of Regulation (EU) 2016/425 and the





TERGOSTRIP B/O (6 X 1 L)

Version F 2.0

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

		standard EN 374 derived from it. chloroprene rubber (CR) - 0.5 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Preventive skin protection
Eye protection	:	Tightly fitting safety goggles (splash goggles) (e.g. EN 166)
Skin and body protection	:	Chemical resistant protective clothing according to DIN EN 13034 (Type 6)
Protective measures	:	Do not breathe vapour/spray.
		Eye wash fountains and safety showers must be easily accessible.
		If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.
		Avoid contact with the skin, eyes and clothing.
		Handle in accordance with good industrial hygiene and safety practice.







Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Section 9: Physical and chemical properties				
Appearance	:	liquid		
Color	:	opaque		
Odor	:	ether-like		
Odor Threshold	:	not determined		
рН	:	< 2		
Melting point/ range	:	not determined		
Boiling point/boiling range	:	> 48 °C		
Flash point	:	> 99 °C		
Evaporation rate	:	not determined		
Flammability	:	Does not sustain combustion.		
Lower explosion limit / Lower flammability limit	:	not determined		







Version Revision 2.0 14.04.20

Revision Date: 14.04.2025

SDS Number: I 0000000000506 29328

Vapor pressure	:	not determined (20 °C) not determined (50 °C)
Relative vapor density	:	Heavier than air.
Relative density	:	No data available
Density	:	1.200 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	not determined
Autoignition temperature	:	not determined
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity Viscosity, kinematic	:	684.3 mm2/s (23 °C)
		not determined (40 °C)
Flow time	:	> 99 s (23 °C) Cross section: 6 mm Method: ISO 2431





TERGOSTRIP B/O (6 X 1 L)

Version Revision Date: SDS Number: Date of last issue: 07.03.2025 2.0 14.04.2025 29328 Date of first issue: 07.03.2025

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Metal corrosion rate	:	Not corrosive to metals.
Section 10: Stability and reactivity Reactivity	y :	No dangerous reaction known under conditions of normal use.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapours may form ignitable mixture with air.
Conditions to avoid	:	Avoid direct sunlight.
		When exposed to naked flames or hot surfaces (above 120 °C) the product will decompose, forming highly irritating substances.
		Protect from frost.
		Heat, flames and sparks.
		Heat.
Incompatible materials	:	Bases







Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Hazardous decomposition	:	No decomposition if stored and applied as directed.
products		

Acute toxicity Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 1,976 mg/kg
		Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h
		Test atmosphere: vapor
		Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
		Method: Calculation method
Components:		
formic acid:		
Acute oral toxicity	:	LD50 (Rat): 730 mg/kg







	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Acute inhalation toxicity	: LC50 (Rat): 7.85 mg/l Exposure time: 4 h	
	Test atmosphere: vapor	
	Assessment: Corrosive to the resp	iratory tract.
phenol:		
Acute dermal toxicity	: LD50 (Rat): 660 mg/kg	
Skin corrosion/irritation Causes severe burns.		
Product:		
Result	: Corrosive after 4 hours or less of e	xposure
Remarks	: The value is calculated	
Serious eye damage/eye i	ation	
Causes serious eye damage		

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.







Version 2.0

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Chronic toxicity

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. May cause damage to organs (Kidney, Liver, Blood, Central nervous system, lung) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Components:

Benzene, C10-16-alkyl derivs.:

```
M-Factor (Acute aquatic : 100
```

toxicity)

M-Factor (Chronic : 1 aquatic toxicity)

Persistence and degradability

No data available







Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Bioaccumulative potential	
Components:	
dichloromethane: Partition coefficient: n- : octanol/water	log Pow: 1.25 (20 °C) pH: 7
	Remarks: Information taken from reference works and the literature.
formic acid:	
Partition coefficient: n- :	log Pow: -2.1 (23 °C)
octanol/water	рН: 7.0
	GLP: yes
	log Pow: -1.9 (23 °C)
	pH: 5.0
	GLP: yes
	log Pow: -2.3 (23 °C)
	рН: 9.0
	GLP: yes
-	







Version Revi 2.0 14.04

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

phenol:			
1.	: log Pow: 1.47 (30 °C)		
octanol/water	рН: 3 - 8		
	Method: OECD Test Guideline 117		
	Remarks: Information taken from reference works and the literature.		
Benzenesulfonic acid, C10-	16-alkyl derivs.:		
Partition coefficient: n- octanol/water	: Remarks: Not applicable		
I Mobility in soil No data available			
Other adverse effects No data available			
tion 13: Disposal considerat	ions		
Disposal methods			
Waste from residues :	: Do not discharge into drains/surface waters/groundwater.		
	Observe national and local legal requirements.		
Contaminated packaging	: Containers which are not properly emptied must be disposed pursuant to Directive 2008/98/EC		
	Packaging that is not properly emptied must be disposed of as the unused product.		
	the unused product.		







Version Rev 2.0 14.0

Revision Date: 14.04.2025

SDS Number: Date o 0000000000506 29328 Date o

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Section 14: Transport information International Regulations UNRTDG UN number : UN 2927 Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (FORMIC ACID, PHENOL) Class : 6.1 Subsidiary risk 8 : Packing group : 11 Labels : 6.1 (8) Environmentally hazardous : no IATA-DGR UN/ID No. : UN 2927 Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (FORMIC ACID, PHENOL) Class 6.1 : Subsidiary risk : 8 Packing group Ш : Labels Toxic, Corrosive : Packing instruction (cargo : 660 aircraft)





TERGOSTRIP B/O (6 X 1 L)

	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Packing instruction (passenger aircraft)	:	653
IMDG-Code		
UN number	:	UN 2927
Proper shipping name	:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
		(FORMIC ACID, PHENOL)
Class	:	6.1
Subsidiary risk	:	8
Packing group	:	П
Labels	:	6.1 (8)
EmS Code	:	F-A, S-B
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

NZS 5433

UN number	:	UN 2927
Proper shipping name	:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
		(FORMIC ACID, PHENOL)
Class	:	6.1
Subsidiary risk	:	8
Packing group	:	II







Version Revision Date: SDS Number: Date of last issue: 07.03.2025 2.0 14.04.2025 000000000506 29328 Date of first issue: 07.03.2025

Labels	:	6.1 (8)
Hazchem Code	:	2X
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 154

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number not allocated

Tolerable Exposure Limits (TEL) Not applicable

Environmental Exposure Limits (EEL)

Not applicable

Section 16: Other information Revision Date : 14.04.2025

Further information





TERGOSTRIP B/O (6 X 1 L)

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29328	Date of first issue: 07.03.2025

Other information	:	For multi-pack systems observe material safety data sheets of all components. Restricted to professional users.	
Date format	:	dd.mm.yyyy	
Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)	
NZ BEI	:	New Zealand. Biological Exposure Indices	
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants	
ACGIH / TWA	:	8-hour, time-weighted average	
ACGIH / STEL	:	Short-term exposure limit	
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average	
NZ OEL / WES-STEL	:	Workplace Exposure Standard - Short-Term Exposure Limit	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG





TERGOSTRIP B/O (6 X 1 L)

Version R 2.0 1

Revision Date: 14.04.2025

SDS Number: 0000000000506 29328

Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

- Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN