

## Safety Data Sheet

© 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 18-1161-1
 Version number:
 3.03

 Issue Date:
 04/04/2024
 Supersedes date:
 21/03/2024

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

## **IDENTIFICATION:**

#### 1.1. Product identifier

3M<sup>TM</sup> RELYX<sup>TM</sup> UNICEM<sup>TM</sup> Aplicap/Maxicap

#### **Product Identification Numbers**

70-2011-1559-2	70-2011-1563-4	70-2011-1564-2	70-2011-1565-9	70-2011-1566-7
70-2011-1567-5	70-2011-1568-3	70-2011-1981-8	70-2011-1983-4	UU-0104-3488-2
UU-0104-3489-0	UU-0104-3493-2	UU-0104-3522-8		

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Dental univeral luting material.

#### Restrictions on use

For use by dental professionals only.

## 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the SDSs for components of this product are:

17-9608-5, 18-0262-8

One or more components of this KIT is classified as a hazardous substance in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

## TRANSPORT INFORMATION

## 3M<sup>TM</sup> RELYX<sup>TM</sup> UNICEM<sup>TM</sup> Aplicap/Maxicap

The Dangerous Goods Classification for the complete Kit is provided below.

UN No.:UN3082

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Acetic Acid, Copper

(2+) Salt, Monohydrate)

Class/Division:9 Packing Group:III

Marine Pollutant: Not applicable.

Hazchem Code:-3Z

IERG:47

Land Transport Rule: Dangerous Goods - Road/Rail Transport

Special Instructions: Not restricted, environmentally hazardous substance exception.

International Air Transport Association (IATA)- Air Transport

Special Instructions: Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**Special Instructions:** Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

#### **Revision information:**

Update to product identification numbers.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



## Safety Data Sheet

© 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 17-9608-5 **Version number:** 4.00

**Issue Date:** 21/03/2024 **Supersedes date:** 09/12/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M™ RELYX™ Unicem Aplicap™/Maxicap™ Liquid

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, For use by dental professionals.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

## 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

## **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Flammable Liquids: Category 4 Serious eye damage: Category 1 Skin sensitisation: Category 1

Hazardous to the aquatic environment chronic: Category 3

# 2.2. Label elements SIGNAL WORD

Danger

#### **Symbols:**

Corrosion |Exclamation mark |





### **HAZARD STATEMENTS:**

H227 Combustible Liquid

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

**Prevention** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280B Wear protective gloves and eye/face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry

chemical or carbon dioxide to extinguish.

Storage

P403 Store in a well-ventilated place.

**Disposal** 

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

## **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric	1224866-76-5	40 - 50
acid		
2,2'-Ethylenedioxydiethyl dimethacrylate	109-16-0	20 - 35
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl)	27689-12-9	20 - 30
bismethacrylate		
2,6-Di-tert-butyl-p-cresol	128-37-0	< 0.5
Methyl Methacrylate	80-62-6	< 0.5
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	< 0.1

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### **Eve contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## 5.4. Hazchem code: -3Z

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for

information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible using non-sparking tools. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

#### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Store away from heat. Store away from acids. Store away from oxidising agents.

### 7.3. Certified handler

Required when present in any quantity, for Acute toxicity Category 2 substances Not required

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

for the component.				
Ingredient	CAS Nbr	Agency	Limit type	Additional comments
2,6-Di-tert-butyl-p-cresol	128-37-0	ACGIH	TWA(inhalable fraction and vapor):2 mg/m3	A4: Not class. as human carcinogin
2,6-Di-tert-butyl-p-cresol	128-37-0	New Zealand WES	TWA(8 hours):10 mg/m3	Dermal sensitizer
Copper compounds	6046-93-1	ACGIH	TWA(as Cu, fume):0.2 mg/m3;TWA(as Cu dust or mist):1 mg/m3	
Copper, inorganic compounds	6046-93-1	New Zealand WES	TWA(as Cu, respirable)(8 hours):0.01 mg/m3	Dermal sensitizer
Methyl Methacrylate	80-62-6	ACGIH	TWA:50 ppm;STEL:100 ppm	A4: Not class. as human carcin, Dermal Sensitizer
Methyl Methacrylate	80-62-6	New Zealand WES	TWA(8 hours):208 mg/m3(50 ppm);STEL(15 minutes):416 mg/m3(100 ppm)	Dermal sensitizer, SKIN

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

## 3M<sup>TM</sup> RELYX<sup>TM</sup> Unicem Aplicap<sup>TM</sup>/Maxicap<sup>TM</sup> Liquid

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million mg/m³: milligrams per cubic metre

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

## 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

## Skin/hand protection

See Section 7.1 for additional information on skin protection.

## **Respiratory protection**

None required.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Liquid.			
Specific Physical Form:	Liquid.			
Colour	Yellow			
<b>Odour</b> Acrylate				
Odour threshold	No data available.			
<b>pH</b> 2.3				
Melting point/Freezing point  No data available.				
Boiling point/Initial boiling point/Boiling range > 93.3 °C				
Flash point 64 °C [Test Method: Tagliabue closed cup]				
Evaporation rate No data available.				
Flammability (solid, gas)	Not applicable.			
Flammable Limits(LEL)	No data available.			
Flammable Limits(UEL)	No data available.			
Vapour pressure	No data available.			
Vapor Density and/or Relative Vapor Density	No data available.			
Density 1.14 g/ml				
Relative density 1.14 [Ref Std:WATER=1]				
Water solubility < 63 g/l				
Solubility- non-water	No data available.			
Partition coefficient: n-octanol/water	No data available.			
Autoignition temperature	No data available.			
Decomposition temperature	No data available.			

Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	No data available.
Percent volatile	No data available.
VOC less H2O & exempt solvents	No data available.
Molecular weight	No data available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

**Substance** 

Condition

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

## Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Ingestion	Species	No data available; calculated ATE >5,000 mg/kg
Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid	Dermal		LD50 estimated to be > 5,000 mg/kg
Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid	Ingestion	Rat	LD50 > 2,000 mg/kg
2,2'-Ethylenedioxydiethyl dimethacrylate	Dermal	Mouse	LD50 > 2,000
2,2'-Ethylenedioxydiethyl dimethacrylate	Ingestion	Rat	LD50 10,837 mg/kg
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Ingestion	Rat	LD50 > 17,600 mg/kg
2,6-Di-tert-butyl-p-cresol	Dermal	Rat	LD50 > 2,000 mg/kg
2,6-Di-tert-butyl-p-cresol	Ingestion	Rat	LD50 > 2,930 mg/kg
Methyl Methacrylate	Dermal	Rabbit	LD50 > 5,000 mg/kg
Methyl Methacrylate	Inhalation- Vapor (4 hours)	Rat	LC50 29.8 mg/l
Methyl Methacrylate	Ingestion	Rat	LD50 7,900 mg/kg
Acetic acid, copper(2+) salt, monohydrate	Dermal	Rat	LD50 > 2,000 mg/kg
Acetic acid, copper(2+) salt, monohydrate	Ingestion	Rat	LD50 > 300, < 2000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid	Rabbit	Minimal irritation
2,2'-Ethylenedioxydiethyl dimethacrylate	Rabbit	No significant irritation
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Rabbit	No significant irritation
2,6-Di-tert-butyl-p-cresol	Human	Minimal irritation
	and	
	animal	
Methyl Methacrylate	Rabbit	Irritant
Acetic acid, copper(2+) salt, monohydrate	In vitro	Corrosive
	data	

Serious Eve Damage/Irritation

Serious Lye Dumuge/Himmeron		
Name		Value
Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid	Rabbit	Corrosive
2,2'-Ethylenedioxydiethyl dimethacrylate	Rabbit	No significant irritation
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Rabbit	Mild irritant
2,6-Di-tert-butyl-p-cresol	Rabbit	Mild irritant
Methyl Methacrylate	Rabbit	Mild irritant
Acetic acid, copper(2+) salt, monohydrate	Rabbit	Corrosive

## **Sensitisation:**

**Skin Sensitisation** 

D. . . . 7 . C . 1

## 3M<sup>TM</sup> RELYX<sup>TM</sup> Unicem Aplicap<sup>TM</sup>/Maxicap<sup>TM</sup> Liquid

Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid	Guinea	Not classified
	pig	
2,2'-Ethylenedioxydiethyl dimethacrylate	Mouse	Sensitising
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	Guinea	Not classified
	pig	
2,6-Di-tert-butyl-p-cresol	Human	Not classified
Methyl Methacrylate	Human	Sensitising
	and	
	animal	
Acetic acid, copper(2+) salt, monohydrate	Guinea	Not classified
	pig	

**Respiratory Sensitisation** 

Name	Species	Value
Methyl Methacrylate	Human	Not classified

Germ Cell Mutagenicity

Name	Route	Value
Mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid	In Vitro	Not mutagenic
2,2'-Ethylenedioxydiethyl dimethacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
(1-Methylethylidene)bis(4, 1-phenyleneoxy- 3, 1-propanediyl) bismethacrylate	In Vitro	Not mutagenic
2,6-Di-tert-butyl-p-cresol	In Vitro	Not mutagenic
2,6-Di-tert-butyl-p-cresol	In vivo	Not mutagenic
Methyl Methacrylate	In vivo	Not mutagenic
Methyl Methacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
Acetic acid, copper(2+) salt, monohydrate	In Vitro	Not mutagenic

Carcinogenicity

<u>eur emogemere</u>			
Name	Route	Species	Value
2,2'-Ethylenedioxydiethyl dimethacrylate	Dermal	Mouse	Not carcinogenic
2,6-Di-tert-butyl-p-cresol	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Methyl Methacrylate	Ingestion	Rat	Not carcinogenic
Methyl Methacrylate	Inhalation	Human and	Not carcinogenic
		animal	

## **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2,2'-Ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2,2'-Ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	5 weeks
2,2'-Ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	2 generation
Methyl Methacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 400	2 generation

				mg/kg/day	
Methyl Methacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 400	2 generation
				mg/kg/day	
Methyl Methacrylate	Ingestion	Not classified for development	Rabbit	NOAEL 450	during
	_	-		mg/kg/day	gestation
Methyl Methacrylate	Inhalation	Not classified for development	Rat	NOAEL 8.3	during
-		•		mg/l	organogenesis

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

specific ranger organ	I OMICICY ,	Jingie enposure				
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
						Duration
Methyl Methacrylate	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL Not	occupational
					available	exposure
Acetic acid, copper(2+)	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	
salt, monohydrate			data are not sufficient for	health	available	
-			classification	hazards		

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2,2'-Ethylenedioxydiethyl dimethacrylate	Dermal	liver	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
2,2'-Ethylenedioxydiethyl dimethacrylate	Dermal	skin	Not classified	Mouse	NOAEL 100 mg/kg/day	13 weeks
2,2'-Ethylenedioxydiethyl dimethacrylate	Dermal	gastrointestinal tract   hematopoietic system   nervous system   kidney and/or bladder   respiratory system	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
2,2'-Ethylenedioxydiethyl dimethacrylate	Ingestion	hematopoietic system   liver   nervous system   kidney and/or bladder   eyes	Not classified	Rat	NOAEL 3,849 mg/kg/day	13 weeks
2,6-Di-tert-butyl-p-cresol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	28 days
2,6-Di-tert-butyl-p-cresol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	blood	Not classified	Rat	LOAEL 420 mg/kg/day	40 days
2,6-Di-tert-butyl-p-cresol	Ingestion	endocrine system	Not classified	Rat	NOAEL 25 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	heart	Not classified	Mouse	NOAEL 3,480 mg/kg/day	10 weeks
Methyl Methacrylate	Dermal	peripheral nervous system	Not classified	Human	NOAEL Not available	occupational exposure
Methyl Methacrylate	Inhalation	olfactory system	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Methyl Methacrylate	Inhalation	kidney and/or bladder	Not classified	Multiple animal species	NOAEL Not available	14 weeks
Methyl Methacrylate	Inhalation	liver	Not classified	Mouse	NOAEL 12.3 mg/l	14 weeks
Methyl Methacrylate	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Methyl Methacrylate	Ingestion	kidney and/or bladder   heart   skin   endocrine system   gastrointestinal tract   hematopoietic	Not classified	Rat	NOAEL 90.3 mg/kg/day	2 years

3MTM RELYXTM	Unicem A	plicap <sup>TM</sup> /M	axicap <sup>TM</sup> Li	quid
--------------	----------	-------------------------	-------------------------	------

system   liver		
muscles   nervous		
system   respiratory		
system		

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

## Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 3 Chronic Aquatic Toxicity: Category 3

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Mixture of	1224866-76-5	Green algae	Endpoint not	72 hours	EC50	>100 mg/l
mono-, di- and			reached			
tri-glycerin-						
dimethacrylate-						
ester of						
phosphoric acid						
Mixture of	1224866-76-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
mono-, di- and						
tri-glycerin-						
dimethacrylate-						
ester of						
phosphoric acid						
Mixture of	1224866-76-5	Green algae	Experimental	72 hours	NOEC	56 mg/l
mono-, di- and						
tri-glycerin-						
dimethacrylate-						
ester of						
phosphoric acid						
2,2'-	109-16-0	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Ethylenedioxyd						
iethyl						
dimethacrylate						
2,2'-	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
Ethylenedioxyd						
iethyl						
dimethacrylate						
2,2'-	109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
Ethylenedioxyd						
iethyl						

dimethacrylate						
2,2'-	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
Ethylenedioxyd			'			
iethyl						
dimethacrylate						
(1-	27689-12-9	Green algae	Experimental	72 hours	EC50	>100 mg/l
Methylethylide			1			
ne)bis(4, 1-						
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate						
(1-	27689-12-9	Water flea	Experimental	48 hours	EC50	>100 mg/l
Methylethylide			1			
ne)bis(4, 1-						
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate						
(1-	27689-12-9	Green algae	Experimental	72 hours	NOEC	>100 mg/l
Methylethylide			*			
ne)bis(4, 1-						
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate						
2,6-Di-tert-	128-37-0	Activated	Experimental	3 hours	EC50	>10,000 mg/l
butyl-p-cresol		sludge				
2,6-Di-tert-	128-37-0	Green algae	Experimental	72 hours	EC50	>0.4 mg/l
butyl-p-cresol						
2,6-Di-tert-	128-37-0	Water flea	Experimental	48 hours	EC50	0.48 mg/l
butyl-p-cresol			1			
2,6-Di-tert-	128-37-0	Zebra Fish	Experimental	96 hours	No tox obs at	>100 mg/l
butyl-p-cresol			1		lmt of water sol	
2,6-Di-tert-	128-37-0	Green algae	Experimental	72 hours	EC10	0.4 mg/l
butyl-p-cresol			1			
2,6-Di-tert-	128-37-0	Medaka	Experimental	42 days	NOEC	0.053 mg/l
butyl-p-cresol			F			
2,6-Di-tert-	128-37-0	Water flea	Experimental	21 days	NOEC	0.023 mg/l
butyl-p-cresol			F			
Methyl	80-62-6	Green algae	Experimental	72 hours	EC50	>110 mg/l
Methacrylate			F			3
Methyl	80-62-6	Rainbow trout	Experimental	96 hours	LC50	>79 mg/l
Methacrylate						
Methyl	80-62-6	Water flea	Experimental	48 hours	EC50	69 mg/l
Methacrylate				10 110 410		
Methyl	80-62-6	Green algae	Experimental	72 hours	NOEC	110 mg/l
Methacrylate		Croon argue		, 2 110 415	1.020	1.0
Methyl	80-62-6	Water flea	Experimental	21 days	NOEC	37 mg/l
Methacrylate	00 02 0	,, 4101 1104	Lapormiona	21 44/5		3, 1116,1
Methyl	80-62-6	Activated	Experimental	30 minutes	EC20	150 mg/l
Methacrylate	00-02-0	sludge	Laperinicitai	50 minutes	1020	150 1118/1
Methyl	80-62-6	Soil microbes	Experimental	28 days	NOEC	>1,000 mg/kg (Dry
Methacrylate	00-02-0	Son microbes	Experimental	20 days	NOEC	Veight
ivicinaci ylate	<u>I</u>	I	1	<u> </u>	1	weigiii)

Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Green algae	Estimated	72 hours	EC50	0.33 mg/l
Acetic acid, copper(2+) salt, monohydrate		Water flea	Estimated	48 hours	EC50	0.04 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Zebra Fish	Estimated	96 hours	LC50	0.037 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Fathead minnow	Estimated	32 days	EC10	0.019 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Green algae	Estimated	N/A	NOEC	0.069 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Sediment Worm	Estimated	28 days	NOEC	57.5 mg/kg (Dry Weight)
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Water flea	Estimated	7 days	NOEC	0.01 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Activated sludge	Estimated	N/A	EC50	22 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Barley	Estimated	4 days	NOEC	50 mg/kg (Dry Weight)
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Bobwhite quail	Estimated	14 days	LD50	4,402 mg per kg of bodyweight
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Redworm	Estimated	56 days	NOEC	31 mg/kg (Dry Weight)
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Soil microbes	Estimated	4 days	NOEC	38 mg/kg (Dry Weight)
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Springtail	Estimated	28 days	NOEC	87.7 mg/kg (Dry Weight)

## 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Mixture of	1224866-76-5	Experimental	28 days	BOD	82 %BOD/ThO	OECD 301F -
mono-, di- and		Biodegradation	-		D	Manometric
tri-glycerin-						respirometry
dimethacrylate-						
ester of						
phosphoric acid						
2,2'-	109-16-0	Experimental	28 days	CO2 evolution	85 %CO2	OECD 301B - Modified
Ethylenedioxyd		Biodegradation			evolution/THC	sturm or CO2
iethyl					O2 evolution	
dimethacrylate						
(1-	27689-12-9	Experimental	28 days	CO2 evolution	7-12 %CO2	OECD 301B - Modified
Methylethylide		Biodegradation			evolution/THC	sturm or CO2

ne)bis(4, 1-					O2 evolution	
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate						
2,6-Di-tert-	128-37-0	Data not	N/A	N/A	N/A	N/A
butyl-p-cresol		availbl-				
		insufficient				
Methyl	80-62-6	Experimental	14 days	BOD	94 %BOD/ThO	OECD 301C - MITI
Methacrylate		Biodegradation			D	test (I)
Acetic acid,	6046-93-1	Analogous	14 days	BOD	74 %BOD/ThO	OECD 301C - MITI
copper(2+) salt,		Compound			D	test (I)
monohydrate		Biodegradation				

## 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Mixture of	1224866-76-5	Experimental		Log Kow	-0.2	
mono-, di- and		Bioconcentrati				
tri-glycerin-		on				
dimethacrylate-						
ester of						
phosphoric acid						
2,2'-	109-16-0	Experimental		Log Kow	2.3	EC A.8 Partition
Ethylenedioxyd		Bioconcentrati				Coefficient
iethyl		on				
dimethacrylate						
(1-	27689-12-9	Modeled		Log Kow	7.61	Episuite <sup>TM</sup>
Methylethylide		Bioconcentrati				
ne)bis(4, 1-		on				
phenyleneoxy-						
3, 1-						
propanediyl)						
bismethacrylate						
2,6-Di-tert-	128-37-0	Experimental	56 days	Bioaccumulatio	1277	OECD305-
butyl-p-cresol		BCF - Fish		n factor		Bioconcentration
Methyl	80-62-6	Experimental		Log Kow	1.38	OECD 107 log Kow
Methacrylate		Bioconcentrati				shke flsk mtd
		on				
Acetic acid,	6046-93-1	Analogous		Log Kow	-0.17	
copper(2+) salt,		Compound				
monohydrate		Bioconcentrati				
		on				

## 12.4. Mobility in soil

Please contact manufacturer for more details

## 12.5 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Acetic Acid, Copper

(2+) Salt, Monohydrate ) **Class/Division:** 9

Sub Risk: Not applicable. Packing Group: III

Special Instructions: Not restricted, environmentally hazardous substance exception.

Hazchem Code: -3Z

**IERG:** 47

International Air Transport Association (IATA) - Air Transport

UN No.: UN3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Acetic Acid, Copper

(2+) Salt, Monohydrate ) **Class/Division:** 9

Sub Risk: Not applicable. Packing Group: III

Special Instructions: Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Acetic Acid, Copper

(2+) Salt, Monohydrate ) Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

Marine Pollutant: Acetic Acid, Copper (2+) Salt, Monohydrate

**Special Instructions:** Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

## **SECTION 15: Regulatory information**

HSNO Approval number HSR002554

Group standard name Dental Products (Combustible) Group Standard 2020

HSNO Hazard classification Refer to Section 2: Hazard identification

NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handler Required when present in any quantity, for Acute toxicity Category 2

substances Not required

Location Compliance Certificate Not required

## 3M™ RELYX™ Unicem Aplicap™/Maxicap™ Liquid

Hazardous atmosphere zone Not required

Fire extinguishers

Two required for 500 L

Emergency response plan 100 L 100 L (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3

substances); or 10 000 L (for all other substances)

Secondary containment 100 L 100 L (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3

substances); or 10 000 L (for all other substances)

Tracking Not required Required (for Acute toxicity Category 2 substances).

100 L (for Hazardous to the aquatic environment Category 1 substances); or 1

000 L (for Serious eye damage Category 1, Hazardous to the aquatic

environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L (for all other substances) 100 L (for Hazardous to the aquatic environment Category 1 substances); or 250 L (for all other

substances)

## **SECTION 16: Other information**

#### **Revision information:**

Warning signage

Complete document review.

Document group:	17-9608-5	Version number:	4.00
Issue Date:	21/03/2024	Supersedes date:	09/12/2020

### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



## Safety Data Sheet

© 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 18-0262-8 **Version number:** 4.00

**Issue Date:** 21/03/2024 **Supersedes date:** 15/12/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> RelyX<sup>TM</sup> Unicem Aplicap<sup>TM</sup>/Maxicap<sup>TM</sup> Powder

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Universal luting material.

### Restrictions on use

For use by dental professionals only.

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

## 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

## **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

### 2.1. Classification of the substance or mixture

Eye irritation: Category 2

Respiratory sensitisation: Category 1 Skin sensitisation: Category 1 Carcinogenicity: Category 2

## 2.2. Label elements SIGNAL WORD

Danger

## **Symbols:**

Health Hazard |

### **Pictograms**



#### **HAZARD STATEMENTS:**

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

#### PRECAUTIONARY STATEMENTS

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280E Wear protective gloves.
P284 Wear respiratory protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

lenses, it present and easy to do. Continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 IF eye irritation persists: Get medical advice/attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

## **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2	None	85 - 95
methyl3-(trimethoxysilyl)propyl ester (2530-85-0), bulk material		
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis	122334-95-6	1 - 10
products with silica		
Subtituted pyrimidine	72846-00-5	1 - 5
Calcium dihydroxide	1305-62-0	< 3

Sodium Persulphate	7775-27-1	< 1
Titanium dioxide	13463-67-7	< 0.5

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

Substance None known. Condition

During combustion.

## **5.3.** Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required. A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove.

## 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### 7.3. Certified handler

Not required

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	<b>Additional comments</b>
Calcium dihydroxide	1305-62-0	ACGIH	TWA:5 mg/m3	
Calcium dihydroxide	1305-62-0	New Zealand WES	TWA(8 hours):5 mg/m3	
Titanium dioxide	13463-67-7	ACGIH	TWA(Respirable nanoscale particles):0.2 mg/m3;TWA(Respirable finescale particles):2.5 mg/m3	A3: Confirmed animal carcinogen.
Titanium dioxide	13463-67-7	New Zealand WES	TWA(8 hours):10 mg/m3	
PERSULFATE COMPOUNDS	7775-27-1	ACGIH	TWA(as persulfate):0.1 mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

8.2. Exposure controls

## 8.2.1. Engineering controls

Use in a well-ventilated area.

## 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

## Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Powder
Colour	White-Beige
Odour	Odourless
Odour threshold	No data available.
рН	Not applicable.
Melting point/Freezing point	No data available.
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	No flash point
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Vapour pressure	Not applicable.
Vapor Density and/or Relative Vapor Density	Not applicable.
Density	> 1 g/ml
Relative density	No data available.
Water solubility	Negligible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	Not applicable.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	Not applicable.
Volatile organic compounds (VOC)	Not applicable.
Percent volatile	No data available.
VOC less H2O & exempt solvents	No data available.
Molecular weight	No data available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

## **Substance**

**Condition** 

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Allergic respiratory reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest. May cause additional health effects (see below).

### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eve contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Additional Health Effects:

## Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-(trimethoxysilyl)propyl ester (2530-85-0), bulk material	Dermal		LD50 estimated to be > 5,000 mg/kg
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-(trimethoxysilyl)propyl ester (2530-85-0), bulk material	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Calcium dihydroxide	Dermal	Rabbit	LD50 > 2,500 mg/kg
Calcium dihydroxide	Ingestion	Rat	LD50 7,340 mg/kg
Subtituted pyrimidine	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
Subtituted pyrimidine	Ingestion	Rat	LD50 > 2,000 mg/kg
Sodium Persulphate	Dermal	Rabbit	LD50 > 10,000 mg/kg
Sodium Persulphate	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 47.93 mg/l
Sodium Persulphate	Ingestion	Rat	LD50 895 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

Name	Species	Value
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-(trimethoxysilyl)propyl ester (2530-85-0), bulk material	Professio nal judgemen t	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation
Calcium dihydroxide	Human	Corrosive
Titanium dioxide	Rabbit	No significant irritation

Serious Eve Damage/Irritation

erious Lye Damage/Irritation				
Name	Species	Value		
	•			
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-	Professio	No significant irritation		
(trimethoxysilyl)propyl ester (2530-85-0), bulk material	nal			
(	judgemen			
	judgemen			
	t			

\_\_\_\_\_

## 3M<sup>TM</sup> RelyX<sup>TM</sup> Unicem Aplicap<sup>TM</sup>/Maxicap<sup>TM</sup> Powder

2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products		No significant irritation
with silica		
Calcium dihydroxide	Rabbit	Corrosive

### **Sensitisation:**

## **Skin Sensitisation**

Name	Species	Value
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	Human	Not classified
with silica	and	
	animal	
Subtituted pyrimidine	Mouse	Not classified
Titanium dioxide	Human	Not classified
	and	
	animal	

## **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	In Vitro	Not mutagenic
with silica		
Subtituted pyrimidine	In Vitro	Not mutagenic
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

## **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

## Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium dihydroxide	Inhalation	respiratory irritation	May cause respiratory irritation	Human	LOAEL 2.5 mg/m³	20 minutes

## 3M<sup>TM</sup> RelyX<sup>TM</sup> Unicem Aplicap<sup>TM</sup>/Maxicap<sup>TM</sup> Powder

Subtituted pyrimidine	Ingestion	nervous system	Not classified	Rat	NOAEL	
					2,000 mg/kg	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2- methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

## 12.1. Toxicity

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Glass powder	None	N/A	Data not	N/A	N/A	N/A
(65997-17-3),			available or			
surface			insufficient for			
modified with			classification			
2-propenoic						
acid, 2						
methyl3-						
(trimethoxysily						
l)propyl ester						
(2530-85-0),						
bulk material						
2-Propenoic	122334-95-6	Activated	Estimated	3 hours	NOEC	>=1,000  mg/l
acid, 2-methyl-,		sludge				
3-						
(trimetoxysilyl)						
propyl ester,						
hydrolysis						
products with						
silica						
2-Propenoic	122334-95-6	N/A	Data not	N/A	N/A	N/A
acid, 2-methyl-,			available or			

3-			insufficient for			
(trimetoxysilyl)			classification			
propyl ester,						
hydrolysis						
products with						
silica						
Subtituted	72846-00-5	N/A	Data not	N/A	N/A	N/A
pyrimidine			available or			
			insufficient for			
			classification			
Calcium	1305-62-0	Fathead	Estimated	96 hours	LC50	4,630 mg/l
dihydroxide		minnow				
Calcium	1305-62-0	Green algae	Estimated	72 hours	EC50	>4,000 mg/l
dihydroxide						
Calcium	1305-62-0	Water flea	Estimated	48 hours	EC50	2,400 mg/l
dihydroxide						
Sodium	7775-27-1	Algae or other	Estimated	72 hours	EC50	320 mg/l
Persulphate		aquatic plants				
Sodium	7775-27-1	Copepod	Estimated	48 hours	EC50	21.22 mg/l
Persulphate						
Sodium	7775-27-1	Rainbow trout	Estimated	96 hours	LC50	76.3 mg/l
Persulphate						
Sodium	7775-27-1	Algae or other	Estimated	72 hours	NOEC	32 mg/l
Persulphate		aquatic plants				
Titanium	13463-67-7	Activated	Experimental	3 hours	NOEC	>=1,000 mg/l
dioxide		sludge				
Titanium	13463-67-7	Diatom	Experimental	72 hours	EC50	>10,000 mg/l
dioxide						
Titanium	13463-67-7	Fathead	Experimental	96 hours	LC50	>100 mg/l
dioxide		minnow				
Titanium	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
dioxide						
Titanium	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
dioxide						

## 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Glass powder	None	Data not	N/A	N/A	N/A	N/A
(65997-17-3),		availbl-				
surface		insufficient				
modified with						
2-propenoic						
acid, 2						
methyl3-						
(trimethoxysily						
l)propyl ester						
(2530-85-0),						
bulk material						
2-Propenoic	122334-95-6	Data not	N/A	N/A	N/A	N/A
acid, 2-methyl-,		availbl-				
3-		insufficient				
(trimetoxysilyl)						
propyl ester,						
hydrolysis						

products with silica						
Subtituted pyrimidine	72846-00-5	Experimental Biodegradation	28 days	CO2 evolution	29.1 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Subtituted pyrimidine	72846-00-5	Estimated Photolysis		Photolytic half- life (in air)	1.48 days (t 1/2)	
Calcium dihydroxide	1305-62-0	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Sodium Persulphate	7775-27-1	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Data not availbl-insufficient	N/A	N/A	N/A	N/A

## 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Material Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3- (trimethoxysily 1)propyl ester (2530-85-0), bulk material	None Number	Test type  Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl) propyl ester, hydrolysis products with silica	122334-95-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Subtituted pyrimidine	72846-00-5	Experimental Bioconcentrati on		Log Kow	2.57	
Calcium dihydroxide	1305-62-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Sodium Persulphate	7775-27-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulatio n factor	9.6	

**12.4. Mobility in soil** Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.

Hazchem Code: Not applicable.

**IERG:** Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

## **SECTION 15: Regulatory information**

HSNO Approval number HSR002560

Group standard name Dental Products (Carcinogenic) Group Standard 2020

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice

## 3M<sup>TM</sup> RelyX<sup>TM</sup> Unicem Aplicap<sup>TM</sup>/Maxicap<sup>TM</sup> Powder

#### 2017

Certified handler Not required
Location Compliance Certificate Not required
Hazardous atmosphere zone Not required
Fire extinguishers Not required

Emergency response plan 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for all other substances) 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment

Category 3 substances); or 10 000 L or 10 000 kg (for all other substances)

Not required

Warning signage 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4

substances)

## **SECTION 16: Other information**

#### **Revision information:**

Secondary containment

Tracking

Complete document review.

Document group:	18-0262-8	Version number:	4.00
Issue Date:	21/03/2024	Supersedes date:	15/12/2020

### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz