

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 01/04/2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Finixa metal bonding 60 min. black - 220ml B-component  
Product code : PLI 50 B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

No additional information available

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Importer

Paint Smart Group NZ  
6 Killarney Lane  
Hamilton  
T +64 7 847 0933 - F +64 7 847 0932  
[www.paintsmart.co.nz](http://www.paintsmart.co.nz)

##### Supplier

Chemisar Europe  
Baarbeek 2  
2070 Zwijndrecht, Belgium  
T +32 3 234 87 80  
[www.finixa.com](http://www.finixa.com)

#### 1.4. Emergency telephone number

Emergency number : Poisons Information Centre New Zealand  
0800 764 766

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation Category 2 H315  
Serious eye damage/eye irritation Category 2 H319  
Skin sensitization, Category 1 H317  
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

: Warning

Hazardous ingredients

: reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight ≤ 700); 1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexaan

Hazard statements (CLP)

: H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P261 - Avoid breathing vapors, gas, mist, dust, fume, spray.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, eye protection, face protection.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EUH phrases : EUH205 - Contains epoxy constituents. May produce an allergic reaction.

### Nordic countries regulation

Denmark

MAL code : 1-5

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction product: bisphenol-A(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8	50 - 60	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
SILICA	(CAS-No.) 60676-86-0 (EC-No.) 310-060-2	15 - 25	Not classified
GLASS	(CAS-No.) 65997-17-3 (EC-No.) 266-046-0	10 - 25	Not classified
1,4-bis[(2,3-epoxypropoxy)methyl]cyclohexaan	(CAS-No.) 14228-73-0 (EC-No.) 238-098-4	10 - 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
GLYCIDOXYPROPYL TRIMETHOXYSILANE	(CAS-No.) 2530-83-8 (EC-No.) 219-784-2	1 - 2.5	Not classified

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
reaction product: bisphenol-A(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8	( 5 $\leq$ C < 100) Eye Irrit. 2, H319 ( 5 $\leq$ C < 100) Skin Irrit. 2, H315

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.
First-aid measures after eye contact	: Wash immediately with plenty water (during 20 minutes), also under eyelids. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Ingestion may cause nausea, vomiting and diarrhea. May cause respiratory irritation. Irritation to throat.
------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: ABC-powder. carbon dioxide (CO2). Dry powder. Water fog.
Unsuitable extinguishing media	: Halons.

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : carbon dioxide (CO<sub>2</sub>). carbon monoxide. Acrid fumes of acids. Formaldehyde. When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, nitrogen oxides (NO<sub>x</sub>). phenol, carboic acid, monohydroxybenzene, phenylalcohol. Silicon oxide. Hydrocarbon.

### 5.3. Advice for firefighters

Protection during firefighting : Wear recommended personal protective equipment. Personal protective equipment. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate area.

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into inert absorbent material.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Do not breathe vapors.

Hygiene measures : Do not eat, drink or smoke when using this product. Do not drink, eat or smoke in the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage area : Keep cool. Protect from sunlight. Store in a well-ventilated place.

Packaging materials : Keep only in the original container in a cool, well-ventilated place away from combustible materials. Containers which are opened should be properly resealed and kept upright to prevent leakage.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Hand protection:

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	nitrile rubber (NBR), butyl rubber				

#### Eye protection:

safety glasses with side-shields. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### Skin and body protection:

Protective shoes

#### Respiratory protection:

Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapor under TLV. In case of inadequate ventilation wear respiratory protection.

#### Other information:

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : No data available

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Color	: Black.
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 150 °C
Flash point	: > 99 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: < 0.1 hPa
Relative vapor density at 20 °C	: No data available
Relative density	: 1.089 (20°C)
Specific gravity / density	: 1.089 g/cm³ (20°C)
Solubility	: Moderately soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: > 10000 mm²/s (40°C)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Store away from heat. Do not allow water (or moist air) contact with this material.

### 10.5. Incompatible materials

acids. Amines. Strong bases. oxidation agents and bases. Peroxides. water.

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Hydrocarbon. Methanol. phenol, carboic acid, monohydroxybenzene, phenylalcohol. Polymers.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### Finixa metal bonding 60 min. black - 220ml B-component

Viscosity, kinematic	> 10000 mm²/s (40°C)
----------------------	----------------------

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations



#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations. This material and its container must be disposed of in a safe way, and as per local legislation.

Waste treatment methods : Do not burn, or use a cutting torch on the empty drum. Do not re-use empty containers.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN
<b>14.1. UN number</b>			
UN 3082	Not applicable	Not applicable	UN 3082
<b>14.2. UN proper shipping name</b>			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Not applicable	Not applicable	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>Transport document description</b>			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-)	Not applicable	Not applicable	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
<b>14.3. Transport hazard class(es)</b>			
9	Not applicable	Not applicable	9
	Not applicable	Not applicable	
<b>14.4. Packing group</b>			
III	Not applicable	Not applicable	III
<b>14.5. Environmental hazards</b>			
Dangerous for the environment : Yes	Not applicable	Not applicable	Dangerous for the environment : Yes
No supplementary information available			

#### 14.6. Special precautions for user

##### Overland transport

Classification code (ADR) : M6  
Special provision (ADR) : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR) : -

### Transport by sea

Not applicable

### Air transport

Not applicable

### Inland waterway transport

Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Netherlands

SZW-lijst van kankerverwekkende stoffen	: SILICA, GLASS are listed
SZW-lijst van mutagene stoffen	: SILICA, GLASS are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

##### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

# Finixa metal bonding 60 min. black - 220ml B-component

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product  
People who have eczema or allergy to epoxy, may not work with the material  
The requirements from the Danish Working Environment Authorities regarding work with epoxy resins and isocyanates must be observed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-phrases:	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH205	Contains epoxy constituents. May produce an allergic reaction

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*